

# LOPROFIN BREADS

## Description

Loprofin part baked bread range consisting of Loprofin Part Baked Sliced Loaf and Loprofin Part Baked Bread Rolls.

## Indications

For the dietary management of inherited metabolic conditions and other conditions where a low protein diet is indicated.

## Preparation and administration

The recommended intake is dependent on the age, body weight, and medical condition of the patient.

The part baked bread range needs to be refreshed before consumption. This can be done using a conventional oven. Preheat oven to 200°C/400°F/ Gas mark 6. Remove the bread/rolls from its packaging and bake for 3–4 minutes. The Loprofin bread can also be toasted.

## General precautions

Use under medical supervision. Not for parenteral use. Not suitable for use as a sole source of nutrition.

## Storage

Store in a cool, dry place out of direct sunlight. Once opened, refresh and consume within 2–3 days. Suitable for freezing for up to 1 month.

## Pack size

Loprofin Part Baked Sliced Loaf – 400g.

Loprofin Part Baked Bread Rolls (6 x 4 rolls) – 260g.

## Ingredients

Wheat Starch, Water, Extra Virgin Olive Oil, Cellulose, Dextrose, Sugar, Emulsifiers (E420, E464, E471), Yeast, Thickener (E412), Raising Agents (E500, E575), Acidity Regulator (E262), Salt.

Average Contents	Unit	per 100g	per 20g (1 slice)	per 65g (1 roll)
<b>Energy</b>	kcal	259	52	168
	kJ	1095	219	712
<b>Protein</b>	g	0.5	0.1	0.3
<b>Carbohydrate</b>	g	51	10.2	33
sugars	g	4	0.8	2.6
<b>Fat</b>	g	5	1	3.3
saturates	g	0.7	0.14	0.5
<b>Dietary fibre</b>	g	4	0.8	2.6
<b>Minerals</b>				
sodium	mg (mmol)	145 (6.5)	29 (1.3)	94 (4.1)
potassium	mg (mmol)	20 (0.5)	4 (0.1)	13 (0.3)
chloride	mg (mmol)	170 (4.8)	34.1 (1)	110 (3.1)
calcium	mg (mmol)	10 (0.25)	2 (0.05)	6.5 (0.16)
phosphorus	mg (mmol)	30 (0.96)	6 (0.2)	20 (0.6)
magnesium	mg (mmol)	3.5 (0.14)	0.7 (0.03)	2.3 (0.09)
<b>Amino acid profile</b>				
L-Cystine	mg	<10	<2	<7
L-Histidine	mg	<10	<2	<7
L-Isoleucine	mg	<10	<2	<7
L-Leucine	mg	<15	<3	<10
L-Lysine	mg	<15	<3	<10
L-Methionine	mg	<5	<1	<3
L-Phenylalanine	mg	<10	<2	<7
L-Threonine	mg	<10	<2	<7
L-Tyrosine	mg	<10	<2	<7
L-Valine	mg	<15	<3	<10

